

Standard versions holding frame

Format	A	B	C	G	H
Dimensions in mm					
1/1	610	610	70	55	125
5/6	610	508	70	55	99.5
1/2	610	305	70	55	99.5
1/4	305	305	70	55	99.5

Slide rail within channel (provided by customer)

Optional: holding frame with groove
for easy and fast clip-on installation

The frame is clipped on or slid on installation rail (see illustration)

Details of hole pattern:

Modular installation system – fittings and stabilization sheets

Filter combinations	1 x 1/1	1 x 1/1	2 x 1/1	2 x 1/1	3 x 1/1	3 x 1/1	4 x 1/1	4 x 1/1	5 x 1/1
	1 x 1/2	1 x 5/6		1 x 1/2		1 x 1/2		1 x 1/2	
l in mm	915	1118	1220	1525	1830	2135	2440	2745	3050

Dimensions of fittings and stabilization sheets:

I = see table above
 J = 77 [mm] D = 40 [mm]
 K = 200 [mm] E = 12 [mm]
 L = 126 [mm] F = 29 [mm]

Hole patterns of fittings and stabilization sheets are compatible with hole patterns of holding frames

Information: Wall thickness of holding frames, fittings and stabilization sheets averages 1.25 mm in standard version in galvanized steel

VOLZ Luftfilter GmbH & Co. KG
 Robert-Bosch-Straße 25 Phone: +49 7451 5516-0 info@volzfilters.com
 D-72160 Horb am Neckar Fax: +49 7451 5516-120 www.volzfilters.com

All information, images and pictures are property of VOLZ Luftfilter GmbH & Co. KG and are provided to the best knowledge. However VOLZ Luftfilter GmbH & Co. KG does not guarantee the completeness or correctness and cannot be held responsible for damages caused by the recipient's usage or his confidence in the completeness or correctness of the information. The stated data contains average values with tolerances as a result of production irregularities; therefore it does not relieve the recipient of own examination and tests. For the correctness of the information in particular cases, an explicit and written affirmation through VOLZ Luftfilter GmbH & Co. KG is required. Furthermore, the data serves as a service description and cannot be interpreted as warranted properties or durabilities.